

Writing a web form

<pre><form method="post" name="myForm" action="http://storm.cis.fordham.edu/~leeds/email.php"> <input ...> <input ...> <select ...> </select> <textarea ...> </textarea> </form></pre>	<p><code><form></code> marks beginning of form</p> <p>Input buttons and boxes</p> <p><code></form></code> marks end of form</p>
--	---

Input types:

<pre><input type="radio" name="PickOne" value="yes">yes <input type="radio" name="PickOne" value="no">no</pre>	<p>Radio (select one)</p> <p><input type="radio"/> yes <input type="radio"/> no</p>
<pre><input type="checkbox" name="PickAnyPets[]" value="Dog">Dog <input type="checkbox" name="PickAnyPets[]" value="Cat">Cat <input type="checkbox" name="PickAnyPets[]" value="Parrot">Parrot</pre>	<p>Checkbox (select multiple)</p> <p><input type="checkbox"/> Dog <input type="checkbox"/> Cat <input type="checkbox"/> Parrot</p>
<pre><input type="Submit" value="Button Text"></pre>	<p>Submit button</p> <p><input type="submit" value="Button text"/></p>


Other inputs:

<pre><textarea name="ShortParagraph" rows="4" cols="40">Initial text </textarea></pre>	<p>Text box</p> <p>Initial text</p>
<pre><select name="StateList"> <option value="AL">Alabama</option> <option value="NY">New York</option> <option value="WY">Wyoming</option> </select></pre>	<p>Select box</p> <p>Alabama ▾ Alabama New York Wyoming</p>

More on tables

Tables

```
<table border="2" width="250">  
<tr height="50">  
  <td bgcolor="blue">1</td>  
  <td width="150">2</td>  
</tr>  
<tr>  
  <td>3</td>  
  <td bgcolor="pink">4</td>  
</tr>  
</table>
```



1	2
3	4

Beyond placing data elements in rows `<tr>` and columns `<td>`, we can specify table format details through additional formatting in table attributes such as background color `<td bgcolor="pink">` or row height `<tr height="50">`