

In-class Worksheet #5

Fall 2022 , Oct 18, 2022

Computer Science I & Lab

1. Copy example/demo codes

On storm:

```
cp -r ~zhang/public_html/cs1600/Codes/TypeDemo .
```

From your laptop, enter the following URL to your browser:

<https://storm.cis.fordham.edu/zhang/cs1600/typedemo.tgz>

2. Compile and run sizeofdemo.cpp

- Write down size of bool, char, short, int, long, double below:

- Note cin >> x has a Boolean value, indicating whether the reading is successful or not. If you type a string such as “hello” at the prompt?

If you type a value that is larger than MAX_INT?

- Note how integer value is converted to bool...

3. Reading from Input Different types

```
int x;  
cin>>x;  
char ch1, ch2;  
cin>>ch1;
```

```
string word;  
cin>>word;
```

```
cin>>ch2;
```

//what will be the value of x and word, if user types “34s 100% 9”?

4. Use the ASCII table to find out what will be the output of the following code?

```
(1)
char a='#';
int i=a;
cout <<a<<","<<i<<endl;
```

```
cout <<'9'-'0'<<endl; //look up the code for '9', code for '0', and subtract them
```

```
cout <<'0'+7 <<endl;
```

```
a='0'+7; //a's value?
```

(2) Converting '0'-'9' to integer value 0-9

```
char ch;
cout <<"Enter a char 0 ... 9:";
cin >> ch;
```

```
int a=ch;
cout <<"Integer value a is" <<a<<endl;
```

```
//To convert '0' to 0
if (ch>='0' && ch<='9')
{
    int b = ch-'0';
    cout <<"Now we get the integer value " <<b<<endl;
}
```

(3) How would you implement the Caesar Cipher?

https://en.wikipedia.org/wiki/Caesar_cipher

to shift a letter to the left by 3

5. Double to int conversion: always drop the fractional parts of the value, NOT ROUNDING

Can be used to find the integer part of a floating value:

```
double change_due = ...
int dollar_part = change_due;
```


Todo: floating point's precision issue: Compile and run narrow.cpp, and enter a value for d that has many decimal digits.

6. What the following nested loops display to the terminal?

```
int n, m;  
for (n=1; n<=5; n++)  
  for (m=5; m >= 1; m--)  
    cout << n<<" times " << m  
      << "=" << n*m <<endl;
```

7. Practice if/else statement

16. The following flowchart contains a series of questions to determine what kind of haircut to get. Write a program that asks the questions to the user and outputs the recommended haircut.



Appendix: ASCII table

Dec	Hex	Char	Dec	Hex	Char	Dec	Hex	Char	Dec	Hex	Char
0	00	Null	32	20	Space	64	40	@	96	60	`
1	01	Start of heading	33	21	!	65	41	A	97	61	a
2	02	Start of text	34	22	"	66	42	B	98	62	b
3	03	End of text	35	23	#	67	43	C	99	63	c
4	04	End of transmit	36	24	\$	68	44	D	100	64	d
5	05	Enquiry	37	25	%	69	45	E	101	65	e
6	06	Acknowledge	38	26	&	70	46	F	102	66	f
7	07	Audible bell	39	27	'	71	47	G	103	67	g
8	08	Backspace	40	28	(72	48	H	104	68	h
9	09	Horizontal tab	41	29)	73	49	I	105	69	i
10	0A	Line feed	42	2A	*	74	4A	J	106	6A	j
11	0B	Vertical tab	43	2B	+	75	4B	K	107	6B	k
12	0C	Form feed	44	2C	,	76	4C	L	108	6C	l
13	0D	Carriage return	45	2D	-	77	4D	M	109	6D	m
14	0E	Shift out	46	2E	.	78	4E	N	110	6E	n
15	0F	Shift in	47	2F	/	79	4F	O	111	6F	o
16	10	Data link escape	48	30	0	80	50	P	112	70	p
17	11	Device control 1	49	31	1	81	51	Q	113	71	q
18	12	Device control 2	50	32	2	82	52	R	114	72	r
19	13	Device control 3	51	33	3	83	53	S	115	73	s
20	14	Device control 4	52	34	4	84	54	T	116	74	t
21	15	Neg. acknowledge	53	35	5	85	55	U	117	75	u
22	16	Synchronous idle	54	36	6	86	56	V	118	76	v
23	17	End trans. block	55	37	7	87	57	W	119	77	w
24	18	Cancel	56	38	8	88	58	X	120	78	x
25	19	End of medium	57	39	9	89	59	Y	121	79	y
26	1A	Substitution	58	3A	:	90	5A	Z	122	7A	z
27	1B	Escape	59	3B	;	91	5B	[123	7B	{
28	1C	File separator	60	3C	<	92	5C	\	124	7C	
29	1D	Group separator	61	3D	=	93	5D]	125	7D	}
30	1E	Record separator	62	3E	>	94	5E	^	126	7E	~
31	1F	Unit separator	63	3F	?	95	5F	_	127	7F	□

Dec	Hex	Char	Dec	Hex	Char	Dec	Hex	Char	Dec	Hex	Char
128	80	Ç	160	A0	á	192	C0	Ł	224	E0	α
129	81	ù	161	A1	í	193	C1	ł	225	E1	β
130	82	é	162	A2	ó	194	C2	Ṛ	226	E2	Γ
131	83	â	163	A3	ú	195	C3	Ṛ	227	E3	π
132	84	ä	164	A4	ñ	196	C4	—	228	E4	Σ
133	85	à	165	A5	Ñ	197	C5	†	229	E5	σ
134	86	ã	166	A6	²	198	C6	‡	230	E6	μ
135	87	ç	167	A7	°	199	C7	‡	231	E7	ι
136	88	ê	168	A8	¿	200	C8	℄	232	E8	ϕ
137	89	ë	169	A9	ƒ	201	C9	℄	233	E9	⊙
138	8A	è	170	AA	¬	202	CA	℄	234	EA	Ω
139	8B	ì	171	AB	½	203	CB	℄	235	EB	⊖
140	8C	î	172	AC	¼	204	CC	‡	236	EC	∞
141	8D	ì	173	AD	ı	205	CD	=	237	ED	∞
142	8E	Ä	174	AE	«	206	CE	‡	238	EE	ε
143	8F	Å	175	AF	»	207	CF	℄	239	EF	∩
144	90	É	176	BO	⋯	208	DO	℄	240	FO	≡
145	91	æ	177	B1	⋯	209	D1	℄	241	F1	±
146	92	Æ	178	B2	⋯	210	D2	π	242	F2	≥
147	93	ô	179	B3		211	D3	℄	243	F3	≤
148	94	ö	180	B4	†	212	D4	℄	244	F4	[
149	95	ò	181	B5	†	213	D5	℄	245	F5]
150	96	û	182	B6	‡	214	D6	π	246	F6	÷
151	97	ù	183	B7	π	215	D7	‡	247	F7	≈
152	98	ÿ	184	B8	ƒ	216	D8	‡	248	F8	°
153	99	Ö	185	B9	‡	217	D9	ƒ	249	F9	•
154	9A	Û	186	BA		218	DA	ƒ	250	FA	·
155	9B	ø	187	BB	ƒ	219	DB	■	251	FB	√
156	9C	£	188	BC	℄	220	DC	■	252	FC	²
157	9D	¥	189	BD	℄	221	DD	■	253	FD	²
158	9E	€	190	BE	ƒ	222	DE	■	254	FE	■
159	9F	f	191	BF	ƒ	223	DF	■	255	FF	□